



EP

## ZAŠTITNA ŠILT KAPA

## Zaštitna šilt kapa

S unutarnjom zaštitom od udaraca

Ne štiti od padajućih predmeta

Koristi se za zaštitu u zatvorenim prostorima  
Vanjski materijal: 65% poliestersko vlakno,  
35% najlonsko vlakno

Unutarnji materijal: plastična školjka od ABS-a

Metalne zračnice

Regulator veličine

Originalno pakiranje: 10/60



## Shock proof cap

With an internal anti-shock

Does not protect against falling objects

(see protective industrial helmets complying with the EN397 standard.)

Cap with a shell in plastic protecting against shocks. They are essentially intended for inside use where falls of objects cannot arise.

Outer fabric: 65% polyester 35% nylon

Shell in ABS

Outer cushions: EVA

Inner cushions: polyethylene

Original packaging: 10/60



57300

plava



57302

zelena



57303

žuta



57305

crvena



57306

crna



57307

hi-viz žuta



57308

hi-viz narančasta



LACUNA WORKTIME

## ZAŠTITNA KACIGA WT

## Zaštitna kaciga WT

Zaštitna kaciga

Materijal: polipropilen

Podesiva po opsegu glave

Uložak za upijanje znoja

Težina: 320 g

Originalno pakiranje: 1/24



## Zaštitna kaciga WT

Safety helmet

Cap shield made in polyethylene

Adjustable (2 to 2 mm)

Sweatband 22 cm

Delivered in kit

Weight : 320 g/m2

Original packaging: 1/24



652111

bijela



652112

crvena



652113

plava



652114

žuta



652115

narančasta



EP

## OCEANIC

## OCEANIC

Zaštitna kaciga s integriranim naočalama

Materijal: polipropilen

Podesiva po opsegu glave (2 na 2 mm)

Uložak za upijanje znoja

Težina: 400 g

Originalno pakiranje:

1/6



## OCEANIC

Safety helmet with integrated goggles

Cap shield made in polyethylene

Adjustable (2 to 2 mm)

Sweatband BASANE 20 cm

Side airholes

Weight : 400 gr

Original packaging:

1/6



65120

bijela



65121

plava



65122

zelena



65123

žuta



65124

narančasta



65125

crvena



**EURO PROTECTION**

**Zaštitna kaciga**

Materijal: polipropilen

Podesiva po opsegu glave

Uložak za upijanje znoja 37cm

Težina: 370 g

Originalno pakiranje:

1/24

**EURO PROTECTION**

**Safety helmet**

Cap shield made in polyethylene

Adjustable (2 to 2 mm)

Sweatband BASANE 37 cm

Side airholes

Weight : 370 gr

Original packaging:

1/24



**65100**

bijela

**65101**

plava

**65102**

zelena

**65103**

žuta

**65104**

narančasta

**65105**

crvena



**VEZICE ZA KACIGU CHIN STRAP FOR SAFETY HELMETS**

**Veze za kacigu**

65150 vezica

Originalno pakiranje: 10/100

65151 obična

65153 elastična

Originalno pakiranje: 1/12

**Chin strap for safety helmets**

65150 chin strap

Originalno pakiranje: 1/100

65151 regular strap

65153 elastic strap

Originalno pakiranje: 1/12

**65150**

**65151**

**65153**



**Zaštitna kaciga samozatezajuća**

**GP PALLADIO**

Materijal: PE HP

Unutrašnji dio: tekstil

Svojstva: UV otpornost , otporna na

temperature od -20oC do +50oC

Svojstva: Specijalni dvostruki sistem za

ventilaciju, ugrađen znojnik

Težina: 328g

Podešavanje:

**SAMOZATEZNI MEHANIZAM/automatska**

regulacija

Norma: EN 397

Originalno pakiranje: 1/24

**Tensioning safety helmet**

**GP PALLADIO**

Materijal: PE HP

Inner part: Textiles

Features: UV resistant, resistant to

temperatures -20oC to +50 oC

Properties: Special dual ventilation

system, built-in wrist-bands

Weight: 328g

Setting: Automatic control

Standard: EN 397

Originalno pakiranje:

1/24



CE EN 397



**65222**

bijela



**65223**

žuta



**65224**

crvena



ARDON

## SH-1

## Zaštitna kaciga SH-1

Materijal: ABS

Boje: bijela, žuta, plava, crvena, narančasta, zelena

Opis: zaštitna kaciga, posebno dizajniran za vrhunsku udobnost s ventilacijom, kotač za regulaciju veličine

Svojstva: otporna na temperaturu -20°C to +50°C, vijek trajanja 5 godina

Norma: EN 397

Originalno pakiranje: 1/24

## Safety helmet SH-1

Material: ABS

Colors: white, yellow, blue, red, orange, green

Description: helmet, specially designed for ultimate comfort with ventilation, wheel to control the size

Properties: resistant to temperature -20 °C to +50° C, lifetime 5 years

Standard: EN 397

Original packaging: 1/24



EN 397



## D1002

bijela



## D1002

plava



## D1002

žuta



3M

## PELTOR G2000

3M/G2000CUV-GP

## PELTOR G2000

## Zaštitna kaciga

Materijal: ABS,

jačan na UV zrake

Težina: 340 g.

Veličina: 54-62 cm

Originalno pakiranje:

1/20

## PELTOR G2000

## Safety helmet

Material: ABS, reinforced for UV rays.

Weight: 340 g.

Size: 54-62 cm

Original packaging:

1/20



3M

## PELTOR G3000

3M/G3000CUV-VI

## PELTOR G3000

## Zaštitna kaciga

Materijal: ABS,

jačan na UV zrake

Težina: 310 g.

Veličina: 54-62 cm

Originalno pakiranje:

1/20

## PELTOR G3000

## Safety helmet

Material: ABS, reinforced for UV rays.

Weight: 310 g.

Size: 54-62 cm

Original packaging:

1/20



EP **DRŽAČ VIZIRA / HEADGEAR** 60700

**DRŽAČ VIZIRA**

Izrađen od polietilena sa čeonim trupom za zaštitu  
Regulacija: zupčasti remen  
Uložak za upijanje znoja  
Podesiv u 3 položaja  
Originalno pakiranje: 1/40

**HEADGEAR**

Impact-resistant brow protector on headgear with adjustable rack  
3 tip-up positions.  
Sweat-absorber on forehead.  
To be used with all VISORS  
Original packaging: 1/40



CE EN 166

DRŽAČ VIZIRA / HEADGEAR 60740

**DRŽAČ VIZIRA**

Za antifon max 400 (31040)  
Podesiv u 3 položaja  
Uložak za upijanje znoja  
Upotrebljiv sa svim našim vizirima  
Isporučuje se bez antifona  
Originalno pakiranje: 1/40

**HEADGEAR**

For earmuff MAX 400 (31040)  
3 tip-up positions with browguard.  
Adjustable  
Sweat-absorber on forehead.  
To be used with all our VISOR.  
Delivered without earmuffs  
Original packaging: 1/40



CE EN 166

VRSTE VIZIRA

EP **PROZIRNI VIZIR / CLEAR VISOR** 60710

**PROZIRNI VIZIR**

Š 40 x V 20 cm  
Zaštitni ekran od bezbojnog polikarbonata  
Originalno pakiranje: 1/100

**CLEAR VISOR**

W 40 x H 20 cm  
Clear protective screen, polycarbonate  
Original packaging: 1/100



CE EN166:2002  
EN 1731:2007

**TAMNI VIZIR / SMOKE VISOR** 60713

**TAMNI VIZIR**

Š 40 x V 20 cm  
Zaštitni ekran od tamnog polikarbonata  
Originalno pakiranje: 1/100

**SMOKE VISOR**

W 40 x H 20 cm  
Smoke protective screen, polycarbonate  
Original packaging: 1/100



CE EN166:2002

EP **ALU RUB / ALU EDGE** 60711

**VIZIR S ALUMINIJSKIM RUBOM**

Š 40 x V 20 cm  
Zaštitni ekran od bezbojnog polikarbonata, aluminijski rub  
Originalno pakiranje: 1/100

**ALU EDGE VISOR**

W 40 x H 20 cm  
ALU EDGE clear protective screen, polycarbonate  
Original packaging: 1/100



CE EN166:2002  
EN 1731:2007

**MREŽASTI / STEEL MASH** 60720 60721

**MREŽASTI VIZIR**

Mrežasti vizir za šumske radnike  
Izrađen od žičane mreže, obložen tvrdim PVC-om  
60720: Š 30 x V 19 cm  
60721: Š 40 x V 19 cm  
Originalno pakiranje: 1/100

**STEEL MASH VISOR**

Steel mesh visor for forestry or against radiant heat  
60720: W 40 x H 20 cm  
60721: W 40 x H 19 cm  
Original packaging: 1/100



CE EN166:2002  
EN 1731:2007



60700  
+  
60710



60740  
+  
31040  
+  
60710



60706

**ADAPTER**  
Za zaštitne kacige  
Podesiv na gotovo  
sve  
standardne kacige.  
Omogućuje nošenje  
štitnika za lice, bez  
antifona



60707

**NOSAČ VIZIRA**  
Za sve naše vizire  
Podesiv u 3 položaja  
i po dužini Jed-  
nostavni  
adaptori 60706 ili  
antifoni 60750 nužni  
su za fiksiranje na  
kacigu.  
Upotrebljiv sa svim  
našim vizirima.



**ADAPTOR**  
For safety helmets  
Can be fixed on  
almost  
any standard safety  
helmet.  
Allows to wear face  
shield holder with  
out earmuffs.



**FACE SHIELD HOLDER**  
For all our visors  
3 tip-up positions  
and length adjust.  
Simple adaptors  
60706 or ear-muffs  
60750 are neces-  
sary to fix it on  
a safety helmet. Can  
be used with all our  
VISORS.

CE EN 166

60710

60713



60750

60757

60755

**ANTIFON**  
S adapterom  
Za ugradnju na  
kacigu

**EARMUFF**  
With adaptor  
For installation  
on a safety  
helmet



CE EN 352-3

SNR: 23dB H: 28 M: 21 L: 12

Hz	63	125	250	500	1000	2000	4000	8000
Prigušenje Mean attenuation	14.3	11.3	16.1	25.8	33.1	34.8	32.7	31.0
St. odstupanje Standard deviation	5.7	5.2	6.4	4.6	6.1	4.5	5.5	5.7
Svama zaštita Effective protection	8.6	6.1	9.7	21.2	27.0	30.3	27.2	25.5



32100

**ANTIFON**  
S adapterom  
Za ugradnju  
na kacigu

**EARMUFF**  
With adaptor  
For installation  
on a safety  
helmet



CE 352-3

SNR: 23dB H: 29 M: 20 L: 12

Hz	125	250	500	1000	2000	4000	8000
Prigušenje Mean attenuation	9.3	13.3	20.5	26.6	33.3	33.6	37.6
St. odstupanje Standard deviation	3.4	2.8	2.7	2.4	4.9	1.9	5.2
Svama zaštita Effective protection	5.9	10.5	17.8	24.2	29.4	31.7	52.3

60707

60705



CE EN 166

60711



CE EN 166

60720

60721

